




Cross Reference

www.optifuse.com • (619) 593-5050

COMPETITOR	OPTIFUSE
0100056	CSC-02
01020071	CSA-01
01020076	CSA-01
01050003	CSG-01
01110501	CSC-01
0150274Z	LPC-02B-18R
01520001	BLX-01
01550900M	BCM-01
0155120A	LPA-08B-14R-20A
0155120U	LPA-08B
0215	TCD
0215XXX.MXEP	TCD-P
0216	FCD
0216XXX.MXEP	FCD-P
0217	FSD
0217XXX.MXEP	FSD-P
0218	TSD
0218XXX.MXEP	TSD-P
0224	FSE-P
0225	FSE
0229	TSE
0230	TSE-P
0234	MSC
0234XXX.MXEP	MSC-P
0235	FSC
0235XXX.MXEP	FSC-P
0239	TSC
0239XXX.MXEP	TSC-P
0251	FXG
0283	TFLD
0287	ANR/APR
0287	APR-UL
0293	TFLF
02935	TFLN / TFLP
0295	TFLB
0297	ANM
0297	APM-UL
0298	MGGA
0299	ANX
0312	FSA
0313	TSA
0314	FCA
0315	TSA-P
0318	FSA-P
0322	SCA
0324	FCA-P
0325	TCA-P
0326	TCA
0327	ANT
0437	F1206
0445 0001	CSC-02
0451	FCM
0452	TCM
0467	F0603
0469	T1206
0471	MXG
0473	TXG
0481	FPT
0495	FMX
0498	MIDA
0498900	BLC-06B
0603FA	F0603
0603L	R0603
0603L xxxSL	R0603
0672	FSF-P
0674XXX.MXEP	FCF-P
0675	TCF-P
06R	RSUSB
06SL	RASL
0805L	R0805
0805L xxxSL	R0805LR

COMPETITOR	OPTIFUSE
0875	TCF-P
0891	APS
0895	FMS-LP
0FHA0001	LPR-01B-16B
0FHA0002	LPR-01B-12OR
0FHA200	LPR-08
0FHAC001	LPR-02B-16B
0FHAC002	LPR-02B-12OR
0FHM001	LPM-01B-14B
0FHM002	LPM-01B-12OR
0FHM200	LPM-08
0FNY0030	LPA-05W-12OR-30A
0MAX	ANX
0MIN	ANM
0MIN	APM-UL
100057	CNR-01
102074	CNA-03
1110005MR	CSC-05
1206L	R1206
1206L xxxSL	R1206LR
121	ACB12 / ACBP12
1210L	R1210
1210L xxxSL	R1210LR
122	MOCB12 / MOCBP12
123	MRCB / MRCBP
124	ACB24 / ACBP24
125	MOCB24 / MOCBP24
12VL	RAVL
142.6185	APR58
150145	LPA-09B-14RU
153.5631	MIDA
155.0892	ABP
155009A	LPA-09B-14R-9A
155014A	LPA-09B-14R-14A
155020A	LPA-09B-14R-20A
15600-XX	BLC-1XX
15LR	RALR
15ST	RASR
1658	CBW58
16R	RS16
16R	RSUSB
16VT	RAVT
181	141 / 151
1812L	R1812
1812L xxxSL	R1812LR
185	143 / 153
1A1907-02	CSA-01
1A1907-06	CSA-01
1A3398-07	CNA-03
1A3400-09	CSG-01
1A5018-10	CSC-02
1A5600	CNR-01
1A5601	CSC-03
20LR	RALR
227	MRCBP4-PL
24LT	RALT
250R	RS250
2920L	R2920
2938	TFLS
294	TFLM
30R	RS30
30ST	RASR
3216FF	F1206
345121	PHC-01
3510	CNA-03
3522	CNR-01
3522-2	CNR-02
3522-3	CNR-02-3
3529	CSA-01
3544	CNM-01
3544-2	CNM-02

COMPETITOR	OPTIFUSE
354901-GY	BLC-16-B
354921-BL	BLC-16-B1
3553	BMS-R
3554	BMS
3566	CSG-01
370 (LONG LEAD)	FMR-E
370 (SHORT LEAD)	FMS-E
372 (LONG LEAD)	TMR-E
372 (SHORT LEAD)	TMS-E
373 (LONG LEAD)	FMR
373 (SHORT LEAD)	FMS
374 (LONG LEAD)	FMR
374 (SHORT LEAD)	FMS
382 (LONG LEAD)	TMR-E
382 (SHORT LEAD)	TMS-E
392 (LONG LEAD)	TMR-R-E
392 (SHORT LEAD)	TMS-R-E
395	FMS-R
395 (LONG LEAD)	FMR-R
396 (LONG LEAD)	TMR-R
396 (SHORT LEAD)	TMS-R
4164	BLC-09
5600000	BMS
5620000	BMS-R
571007	PMG-KB-01-Q2S
571RCC	PMG-KS-01-Q2R
571RCCP	PMG-KS-01-Q2R
600R	RS600
60R	RS60RB
6125FA	TCM
6125TD	TCM
72R030X	RS90
ABC	FCA
ABC-V	FCA-P
AGA	FSH
AGC	FSA
AGC-V	FSA-P
AGU	FSG
AGW	FSW
AGX	FSX
AMG	MGGA
AMI	MIDA
NL	ANF
ANN	ANE
ATC	ANR/APR
ATC	APR-UL
ATC-XX-ID	APR-I-XX
ATDR	TPCC-R
ATM (AUTO)	ANM
ATM (AUTO)	APM-UL
ATM (POWER)	FPK
ATM-FHID	LPM-04B-I-16B
ATMR	FPK-R
ATM-XX-ID	APM-I-XX
ATM-XX-LP	APS
ATOF	ANR/APR
ATOF	APR-UL
ATO-GLO	APR-I
ATQ	TPK
ATQR	TPK-R
ATR	ANT
BBRF	RBR
C515	TSE-P
C518	FSE-P
C519	TSE
C520	FSE
CBBF	ABP
CBF	MOCB2-PCL
CBS	MOCB2-S
CBT	MOCB2-TP
CC12H	T1206

COMPETITOR	OPTIFUSE
CCMR	TPCC-R
CLB	CBW58
CMB	CBW57
CNL	ANF
CNN	ANE
CTB	CBW28
ETF	TMR-BP
ETF-XX-BK	TMS-BP
FCB	MOCB2-PL
femtoSMDC	R0603
FLB	TFLB
FLD	TFLD
FLF	TFLF
FLM	TFLM
FLN	TFLN
FLQ	TPK
FLS	TFLS
FMX	FMX
FMX-XX-ID	FMX-I
FMX-XXLP	FMS-LP
FNQ	TPK
FNQ-R	TPK-R
FN1	LPA-01B-14B
G4	K10B
G5	K15B
GBB	SCA
GBB-V	SCA-P
GBC	APG
GDA	FCD
GDA-V	FCD-P
GDB	FSD
GDB-V	FSD-P
GDC	TSD
GDC-V	TSD-P
GMA	FSC
GMA-V	FSC-P
GMCGMC	MSC
GMC-V	MSC-P
GMD	TSC
GMD-V	TSC-P
GMT	FPT
HFB	LPA-03Y
HHA	LPR-08
HHB	LPA-04Y
HHC	LPR-01Y-16B
HHD	LPR-01B-12Y
HHF	LPR-02B-16B
HHG	LPR-02B-12Y
HHH	LPM-08
HHK	LPA-01W-14Y
HHL	LPM-01B-16B
HHM	LPM-01B-12OR
HHN	LPA-05W-12Y-30A
HHR	LPR-05B-12OR
HHS	LPR-16B
HHT	LPC-02B-16R
HHU	LPM-05B-12OR
HHX	LPX-02B-6R
HKP	PMA-KB-01H-SOS
HKP-HH	PMA-KB-03-Q2S
HPG	PMG-KB-02-Q2S
HPS	PMG-KB-01-Q2S
HRH	LPA-09B-14R-9A
HRI	LPA-09B-14R-14A
HRJ	LPA-09B-14R-20A
HRK	LPA-09B-14RU
HTC-15M	BLC-13
HTC-200M	CSC-05
HTC-45M	PVC-01
TC-50M	PHC-01
JCAS	FMX

COMPETITOR	OPTIFUSE
KLDR	TPK-R
KLK	FPK
KLKR	FPK-R
KTK	FPK
KTK-R	FPK-R
LFFB	BLC-09
LHFB	LPA-03Y
LPCC	TPCC-R
LR4	RALR
LTP	RALT
LVR	RS240
LVRL	RS120
MAH-1	LPX-02B-6B
MAX	APX
MAXI	ANX
MAXI-GLO	APX-I
MAX-XX-ID	APX-I
MCRS	TXG
MCRW	FXG
MDA	TCA
MDA-V	TCA-P
MDL	TSA
MDL-V	TSA-P
MEG	MGGA
MEGA	MGGA
MF-FSMF	R0603
MF-LL	RASL
MF-LR	RALR
MF-LS	RALT
MF-MSMF	R1812
MF-NSMF	R1206
MF-PSMF	R0805
MF-R /30	RS30
MF-R /60	RS60RB
MF-R /90U	RBR
MF-RG	RS16
MF-RHT	RS16HT/RS30HT
MF-RX /250	RS250
MF-RX /60	RS60RB
MF-RX /72	RS90
MF-S	RASR
MF-SM	R2920
MF-SVS	RAVL
MF-USMF	R1210
MF-VS	RAVT
microSMD	R1210
MIDI	MIDA
MIN-GLO	APM-I
miniSMDC	R1812
MXP	RASL
nanoSMDC	R1206
PAL	TFLF
PAL1	TFLM
PAL2	TFLB
PAL3	TFLS
PAL4	TFLD
PAL5	TFLN / TFLP
PCS	BMS-R
picoSMD	R0805
PTR016	RSUSB
PTR030	RS30
PTR060	RS60RB
PTS1206	R1206
PTS1812	R1812
PV-XX-10F	SPG/SPV
R451	FCM
R452	TCM
RDL-72P	RS90
RGEF	RS16
RHEF	RS16HT/RS30HT
RKEF	RS60SB

COMPETITOR	OPTIFUSE
RLD-06P BF	RSUSB
RLD-16P BF	RSUSB
RLD-16P GF	RS16
RTEF	RS36
RUEF	RS30
RUSBF	RSUSB
RXEF	RS60RB
RXEF (90V)	RS90
\$500	FSD
\$500-V	FSD-P
\$501	FCD
\$501-V	FCD-P
\$505	TCD
\$505-V	TCD-P
\$506	TSR
\$506-V	TSR-P
S-8201-01	BLC-16-S1
S-8201-01X	BLC-16-S
S-8202-01	BLC-16-B1
S-8202-01X	BLC-16-B
SFE	FSO
SMD	R2920
SPF	SPG/SPV
SR-5 (LONG LEAD)	TMR-E
SR-5 (SHORT LEAD)	TMS-E
SR-5F (LONG LEAD)	FMR
SR-5F (SHORT LEAD)	FMS
SRP	RASR
SS-5 (LONG LEAD)	TMR-R-E
SS-5 (SHORT LEAD)	TMS-R-E
SS-5F (LONG LEAD)	FMR-R
SS-5F (SHORT LEAD)	FMS-R
TRF250	RS250
TRF600	RS600
UCB	ACB2-PL
VLR	RAVL
VTP	RAVT
W28	CBW28
W57	CBW57
W58	CBW58

The OptiFuse cross reference is strictly advisory and may not reflect actual suitability for specific applications. There may be differences in form, fit, function and or performance between different manufacturers. Please carefully consult the product data sheet. All OptiFuse products should be thoroughly tested in all possible applications before ordering.

OptiFuse reserves the right, without notice, to change the design and/or construction at any time or discontinue the production of any product.



Surface Mount (SMD) Fuses

www.optifuse.com • (619) 593-5050

Fuse Holder	2410			
Use with FCM and TCM	Fast-Acting		Time-Delay	
BCM-01	FCM	FCM-R	TCM	TCM-R
				
	100mA-125VAC	100mA-125VAC	-	-
	125mA-125VAC	125mA-125VAC	-	-
	-	160mA-125VAC	-	-
	200mA-125VAC	200mA-125VAC	200mA-125VAC	200mA-125VAC
	250mA-125VAC	250mA-125VAC	250mA-125VAC	250mA-125VAC
	300mA-125VAC	-	300mA-125VAC	-
	-	315mA-125VAC	-	315mA-125VAC
	-	-	350mA-125VAC	-
	375mA-125VAC	375mA-125VAC	375mA-125VAC	375mA-125VAC
	400mA-125VAC	400mA-125VAC	400mA-125VAC	400mA-125VAC
	-	-	450mA-125VAC	-
	500mA-125VAC	500mA-125VAC	500mA-125VAC	500mA-125VAC
	-	630mA-125VAC	-	630mA-125VAC
	700mA-125VAC	-	700mA-125VAC	-
	750mA-125VAC	750mA-125VAC	750mA-125VAC	750mA-125VAC
	-	800mA-125VAC	800mA-125VAC	800mA-125VAC
	1A-125VAC	1A-125VAC	1A-125VAC	1A-125VAC
	-	1.2A-125VAC	-	-
	-	1.25A-125VAC	1.25A-125VAC	1.25A-125VAC
	1.5A-125VAC	1.5A-125VAC	1.5A-125VAC	1.5A-125VAC
	-	1.6A-125VAC	-	1.6A-125VAC
	-	-	-	-
	2A-125VAC	2A-125VAC	2A-125VAC	2A-125VAC
	2.5A-125VAC	2.5A-125VAC	2.5A-125VAC	2.5A-125VAC
	3A-125VAC	3A-125VAC	3A-125VAC	3A-125VAC
	3.15A-125VAC	3.15A-125VAC	-	-
	3.5A-125VAC	3.5A-125VAC	3.5A-125VAC	3.5A-125VAC
	4A-125VAC	4A-125VAC	4A-125VAC	4A-125VAC
	-	-	-	-
	5A-125VAC	5A-125VAC	5A-125VAC	5A-125VAC
	-	-	-	-
	6A-125VAC	-	6A-125VAC	-
	-	6.3A-125VAC	-	-
	7A-125VAC	7A-125VAC	7A-125VAC	-
	8A-125VAC	8A-125VAC	-	-
	10A-125VAC	10A-125VAC	-	-
	12A-65VAC	12A-65VAC	-	-
	15A-65VAC	15A-65VAC	-	-








Surface Mount (SMD) Fuses

(800) 621-0326 • www.optifuse.com

1206		0603	
Fast-Acting	Time-Delay	Fast-Acting	Time-Delay
F1206	T1206	F0603	T0603
			
100mA-63/32VAC	-	-	-
125mA-63/32VAC	-	-	-
-	-	-	-
200mA-63/32VAC	-	200mA-63/32VAC	-
250mA-63/32VAC	-	250mA-63/32VAC	-
-	-	300mA-32VAC	-
315mA-63/32VAC	-	315mA-32VAC	-
-	-	-	-
375mA-63/32VAC	-	375mA-32VAC	-
400mA-63VAC	-	-	-
-	-	-	-
500mA-63VAC	500mA-63VAC	500mA-32VAC	-
630mA-63VAC	630mA-63VAC	630mA-32VAC	-
-	-	-	-
750mA-63VAC	750mA-63VAC	750mA-32VAC	-
800mA-63VAC	800mA-63VAC	800mA-32VAC	-
1A-63VAC	1A-63VAC	1A-32VAC	1A-32VAC
1.2A-125VAC	-	-	-
1.25A-63VAC	1.25A-63VAC	1.25A-63VAC	1.25A-32VAC
1.5A-63VAC	1.5A-63VAC	1.5A-63VAC	1.5A-32VAC
1.6A-63VAC	1.6A-63VAC	1.6A-32VAC	1.6A-32VAC
-	-	-	-
2A-63VAC	2A-63VAC	2A-32VAC	2A-32VAC
2.5A-63VAC	2.5A-63VAC	2.5A-32VAC	2.5A-32VAC
3A-63VAC	3A-63VAC	3A-32VAC	3A-32VAC
3.15A-32/24VAC	3.15mA-32/24VAC	3.15A-32VAC	3.15A-32VAC
3.5A-32/24VAC	3.5A-32/24VAC	3.5A-32VAC	3.5A-32VAC
4A-32/24VAC	4A-32/24VAC	4A-32VAC	4A-32VAC
-	-	-	-
5A-32/24VAC	5A-32/24VAC	5A-32VAC	5A-32VAC
-	-	-	-
-	-	-	-
6.3A-32/24VAC	6.3A-32/24VAC	-	-
7A-32/24VAC	7A-32/24VAC	-	-








Micro & Subminiature (PCB) Fuses

www.optifuse.com • (619) 593-5050

Rectangular				Cylindrical		
Fast-Acting		Time-Lag		Fast-Acting		Time-Lag
FMR-R FMS-R	FMR-R-E FMS-R-E	TMR-R TMS-R	TMR-R-E TMS-R-E	FMR FMS	FMR-E FMS-E	TMR TMS
						
50mA-250VAC	-	50mA-250VAC	-	50mA-250VAC	50mA-250VAC	50mA-250VAC
60mA-250VAC	-	60mA-250VAC	-	60mA-250VAC	-	60mA-250VAC
63mA-250VAC	-	63mA-250VAC	-	63mA-250VAC	63mA-250VAC	63mA-250VAC
80mA-250VAC	-	80mA-250VAC	-	80mA-250VAC	80mA-250VAC	80mA-250VAC
100mA-250VAC	-	100mA-250VAC	100 mA-250VAC	100mA-250VAC	100mA-250VAC	100mA-250VAC
125mA-250VAC	-	125mA-250VAC	125mA-250VAC	125mA-250VAC	125mA-250VAC	125mA-250VAC
-	-	-	-	-	-	-
160mA-250VAC	-	160mA-250VAC	160mA-250VAC	160mA-250VAC	160mA-250VAC	160mA-250VAC
-	-	-	-	-	-	-
200mA-250VAC	-	200mA-250VAC	200mA-250VAC	200mA-250VAC	200mA-250VAC	200mA-250VAC
250mA-250VAC	-	250mA-250VAC	250mA-250VAC	250mA-250VAC	250mA-250VAC	250mA-250VAC
300mA-250VAC	-	300mA-250VAC	-	300mA-250VAC	-	300mA-250VAC
315mA-250VAC	315mA-250VAC	315mA-250VAC	315mA-250VAC	315mA-250VAC	315mA-250VAC	315mA-250VAC
-	-	-	-	-	-	-
-	-	-	-	-	-	-
400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-250VAC
500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-250VAC
600mA-250VAC	-	600mA-250VAC	-	600mA-250VAC	-	600mA-250VAC
630mA-250VAC	630mA-250VAC	630mA-250VAC	630mA-250VAC	630mA-250VAC	630mA-250VAC	630mA-250VAC
-	-	-	-	-	-	-
700mA-250VAC	-	700mA-250VAC	-	700mA-250VAC	-	700mA-250VAC
800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-250VAC
1A-250VAC	1A-250VAC	1A-250VAC	1A-250VAC	1A-250VAC	1A-250VAC	1A-250VAC
-	-	-	-	-	-	-
1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-250VAC
1.5A-250VAC	-	1.5A-250VAC	-	1.5A-250VAC	-	1.5A-250VAC
1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-250VAC
2A-250VAC	2A-250VAC	2A-250VAC	2A-250VAC	2A-250VAC	2A-250VAC	2A-250VAC
-	-	-	-	-	-	-
2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-250VAC
3A-250VAC	-	3A-250VAC	-	3A-250VAC	-	3A-250VAC
3.15A-250VAC	3.15A-250VAC	3.15A-250VAC	3.15A-250VAC	3.15A-250VAC	3.15A-250VAC	3.15A-250VAC
3.5A-250VAC	-	3.5A-250VAC	-	-	-	3.5A-250VAC
4A-250VAC	4A-250VAC	4A-250VAC	4A-250VAC	4A-250VAC	4A-250VAC	4A-250VAC
5A-250VAC	5A-250VAC	5A-250VAC	5A-250VAC	5A-250VAC	5A-250VAC	5A-250VAC
-	-	-	-	-	-	-
6.3A-250VAC	6.3A-250VAC	6.3A-250VAC	6.3A-250VAC	6.3A-250VAC	6.3A-250VAC	6.3A-250VAC
7A-250VAC	-	7A-250VAC	-	7A-250VAC	-	7A-250VAC
8A-250VAC	-	8A-250VAC	-	8A-250VAC	-	8A-250VAC
-	-	-	-	-	-	-
10A-250VAC	-	10A-250VAC	-	10A-250VAC	-	10A-250VAC

Micro & Sub-miniature (PCB) Fuses

(800) 621-0326 • www.optifuse.com

Cylindrical		2.7 x 7.3 mm			3.6 x 10 mm	
Time-Lag		Fast-Acting	Time-Delay	Medium Time-Delay	Fast-Acting	Time-Delay
TMR-E TMS-E	TMR-BP TMS-BP	FXG	TXG	MXG	FXF	TXF
						
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100mA-250VAC	100mA-300VAC	100mA-250VAC	-	-	-	-
125mA-250VAC	125mA-300VAC	125mA-250VAC	-	-	-	-
-	-	-	-	-	-	-
160mA-250VAC	160mA-300VAC	160mA-250VAC	-	-	-	-
-	-	-	-	-	-	-
200mA-250VAC	200mA-300VAC	200mA-250VAC	-	200mA-250VAC	200mA-350VAC	200mA-350VAC
250mA-250VAC	250mA-300VAC	250mA-250VAC	-	250mA-250VAC	250mA-350VAC	250mA-350VAC
-	-	300mA-250VAC	-	300mA-250VAC	300mA-350VAC	300mA-350VAC
315mA-250VAC	315mA-300VAC	315mA-250VAC	-	315mA-250VAC	315mA-350VAC	315mA-350VAC
-	-	-	-	350mA-250VAC	350mA-350VAC	350mA-350VAC
-	-	375mA-250VAC	375mA-250VAC	375mA-250VAC	375mA-350VAC	375mA-350VAC
400mA-250VAC	400mA-300VAC	400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-350VAC	400mA-350VAC
500mA-250VAC	500mA-300VAC	500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-350VAC	500mA-350VAC
-	-	600mA-250VAC	600mA-250VAC	600mA-250VAC	600mA-350VAC	600mA-350VAC
630mA-250VAC	630mA-300VAC	630mA-250VAC	630mA-250VAC	630mA-250VAC	630mA-350VAC	630mA-350VAC
-	-	700mA-250VAC	-	-	700mA-350VAC	700mA-350VAC
-	-	750mA-250VAC	750mA-250VAC	750mA-250VAC	750mA-350VAC	750mA-350VAC
800mA-250VAC	800mA-300VAC	800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-350VAC	800mA-350VAC
1A-250VAC	1A-300VAC	1A-250VAC	1A-250VAC	1A-250VAC	1A-350VAC	1A-350VAC
-	-	1.2A-250VAC	1.2A-250VAC	1.2A-250VAC	1.2A-350VC	1.2A-350VAC
1.25A-250VAC	1.25A-300VAC	1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-350VAC	1.25A-350VAC
-	-	1.5A-250VAC	1.5A-250VAC	1.5A-250VAC	1.5A-350VAC	1.5A-350VAC
1.6A-250VAC	1.6A-300VAC	1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-350VAC	1.6A-350VAC
2A-250VAC	2A-300VAC	2A-250VAC	2A-250VAC	2A-250VAC	2A-350VAC	2A-350VAC
-	-	2.25A-250VAC	-	-	2.25A-350VAC	2.25A-350VAC
2.5A-250VAC	2.5A-300VAC	2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-350VAC	2.5A-350VAC
-	-	3A-250VAC	3A-250VAC	3A-250VAC	3A-350VAC	3A-350VAC
3.15A-250VAC	3.15A-300VAC	3.15A-250VAC	3.15A-250VAC	3.15A-250VAC	3.15A-350VAC	3.15A-350VAC
-	-	3.5A-250VAC	3.5A-250VAC	3.5A-250VAC	3.5A-350VAC	3.5A-350VAC
4A-250VAC	4A-300VAC	4A-250VAC	4A-250VAC	4A-250VAC	4A-350VAC	4A-350VAC
5A-250VAC	5A-300VAC	5A-250VAC	5A-250VAC	5A-250VAC	5A-350VAC	5A-350VAC
-	-	6A-250VAC	6A-250VAC	6A-250VAC	6A-350VAC	6A-350VAC
6.3-250VAC	6.3A-300VAC	6.3A-250VAC	6.3A-250VAC	6.3A-250VAC	6.3A-350VAC	6.3A-350VAC
-	-	7A-250VAC	7A-250VAC	7A-250VAC	7A-350VAC	7A-350VAC
-	-	8A-250VAC	-	8A-250VAC	8A-350VAC	8A-350VAC
-	-	9A-250VAC	-	9A-250VAC	9A-350VAC	9A-350VAC
-	-	10A-250VAC	-	10A-250VAC	10A-350VAC	10A-350VAC
-	-	12A-250VAC	-	-	12A-350VAC	12A-350VAC
-	-	15A-250VAC	-	-	15A-350VAC	15A-350VAC
-	-	20A-250VAC	-	-	-	-

Electronic Tube Fuses

www.optifuse.com • (619) 593-5050

3.6 x 10 mm				5 x 15 mm		5 x 20 mm
Fast-Acting		Time-Delay		Fast-Acting	Time-Delay	Fast-Acting
Glass	Ceramic	Glass	Ceramic	Glass	Glass	Glass
FSF/FSF-P	FCF/FCF-P	TSF/TSF-P	TCF/TCF-P	FSE/FSE-P	TSE/TSE-P	FSD/FSD-P
						
-	-	-	-	-	-	63mA-250VAC
-	-	-	-	-	-	80mA-250VAC
100mA-250VAC	100mA-250VAC	100mA-250VAC	100mA-250VAC	-	-	100mA-250VAC
125mA-250VAC	125mA-250VAC	125mA-250VAC	125mA-250VAC	-	-	125mA-250VAC
150mA-250VAC	150mA-250VAC	150mA-250VAC	150mA-250VAC	-	-	-
160mA-250VAC	160mA-250VAC	160mA-250VAC	160mA-250VAC	-	-	160mA-250VAC
-	-	-	-	-	-	-
200mA-250VAC	200mA-250VAC	200mA-250VAC	200mA-250VAC	-	200mA-250VAC	200mA-250VAC
250mA-250VAC	250mA-250VAC	250mA-250VAC	250mA-250VAC	-	250mA-250VAC	250mA-250VAC
300mA-250VAC	300mA-250VAC	300mA-250VAC	300mA-250VAC	300mA-300VAC	300mA-250VAC	-
315mA-250VAC	315mA-250VAC	315mA-250VAC	315mA-250VAC	315mA-300VAC	315mA-250VAC	315mA-250VAC
350mA-250VAC	350mA-250VAC	350mA-250VAC	350mA-250VAC	350mA-300VAC	350mA-250VAC	-
375mA-250VAC	375mA-250VAC	375mA-250VAC	375mA-250VAC	375mA-300VAC	375mA-250VAC	-
400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-300VAC	400mA-250VAC	400mA-250VAC
500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-300VAC	500mA-250VAC	500mA-250VAC
600mA-250VAC	600mA-250VAC	600mA-250VAC	600mA-250VAC	600mA-300VAC	600mA-250VAC	-
630mA-250VAC	630mA-250VAC	630mA-250VAC	630mA-250VAC	630mA-300VAC	630mA-250VAC	630mA-250VAC
-	-	-	-	-	-	-
750mA-250VAC	750mA-250VAC	750mA-250VAC	750mA-250VAC	750mA-300VAC	750mA-250VAC	750mA-250VAC
800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-300VAC	800mA-250VAC	800mA-250VAC
1A-250VAC	1A-250VAC	1A-250VAC	1A-250VAC	1A-300VAC	1A-250VAC	1A-250VAC
1.2A-250VAC	1.2A-250VAC	1.2A-250VAC	1.2A-250VAC	1.2A-250VAC	1.2A-250VAC	-
1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-300VAC	1.25A-250VAC	1.25A-250VAC
1.5A-250VAC	1.5A-250VAC	1.5A-250VAC	1.5A-250VAC	1.5A-300VAC	1.5A-250VAC	-
1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-300VAC	1.6A-250VAC	1.6A-250VAC
2A-250VAC	2A-250VAC	2A-250VAC	2A-250VAC	2A-300VAC	2A-250VAC	2A-250VAC
2.25A-250VAC	2.25A-250VAC	2.25A-250VAC	2.25A-250VAC	2.25A-300VAC	-	-
2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-300VAC	2.5A-250VAC	2.5A-250VAC
3A-250VAC	3A-250VAC	3A-250VAC	3A-250VAC	3A-300VAC	3A-250VAC	-
3.15A-250VAC	3.15A-250VAC	3.15A-250VAC	3.15A-250VAC	3.15A-300VAC	3.15A-250VAC	3.15A-250VAC
3.5A-250VAC	3.5A-250VAC	3.5A-250VAC	3.5A-250VAC	3.5A-300VAC	3.5A-250VAC	-
4A-250VAC	4A-250VAC	4A-250VAC	4A-250VAC	4A-300VAC	4A-250VAC	4A-250VAC
5A-250VAC	5A-250VAC	5A-250VAC	5A-250VAC	5A-300VAC	5A-250VAC	5A-250VAC
6A-250VAC	6A-250VAC	6A-250VAC	6A-250VAC	6A-300VAC	6A-250VAC	-
6.3A-250VAC	6.3A-250VAC	6.3A-250VAC	6.3A-250VAC	6.3A-300VAC	6.3A-250VAC	6.3A-250VAC
7A-250VAC	7A-250VAC	7A-250VAC	7A-250VAC	7A-300VAC	7A-250VAC	-
8A-250VAC	8A-250VAC	8A-250VAC	8A-250VAC	8A-300VAC	8A-250VAC	8A-250VAC
9A-250VAC	9A-250VAC	9A-250VAC	9A-250VAC	9A-300VAC	9A-250VAC	-
10A-250VAC	10A-250VAC	10A-250VAC	10A-250VAC	10A-300VAC	10A-250VAC	10A-250VAC
12A-250VAC	12A-250VAC	12A-250VAC	12A-250VAC	12A-300VAC	-	12A-250VAC
-	-	-	-	-	-	-
15A-250VAC	15A-250VAC	15A-250VAC	15A-250VAC	15A-300VAC	-	15A-250VAC
-	-	-	-	-	-	16A-250VAC
-	-	-	-	-	-	-
-	-	-	-	-	-	20A-250VAC

Electronic Tube Fuses

(800) 621-0326 • www.optifuse.com

5 x 20 mm IEC			5 x 20 mm N. American			
Fast-Acting	Time-Delay		Fast-Acting		Time-Delay	
Ceramic	Glass	Ceramic	Glass	Ceramic	Glass	Ceramic
FCD/FCD-P	TSD/TSD-P	TCD/TCD-P	FSC/FSC-P	FCC/FCC-P	TSC/TSC-P	TCC/TCC-P
						
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	100mA-250VAC	-	100mA-250VAC	-	100mA-250VAC	100mA-250VAC
-	125mA-250VAC	-	125mA-250VAC	-	125mA-250VAC	125mA-250VAC
-	-	-	150mA-250VAC	-	150mA-250VAC	150mA-250VAC
-	160mA-250VAC	-	160mA-250VAC	-	160mA-250VAC	160mA-250VAC
-	-	-	-	-	-	175mA-250VAC
-	200mA-250VAC	200mA-250VAC	200mA-250VAC	-	200mA-250VAC	200mA-250VAC
250mA-250VAC	250mA-250VAC	250mA-250VAC	250mA-250VAC	250mA-250VAC	250mA-250VAC	250mA-250VAC
-	-	-	300mA-250VAC	-	300mA-250VAC	300mA-250VAC
315mA-250VAC	315mA-250VAC	315mA-250VAC	315mA-250VAC	315mA-250VAC	315mA-250VAC	-
-	-	-	350mA-250VAC	-	350mA-250VAC	350mA-250VAC
-	-	-	-	-	375mA-250VAC	-
400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-250VAC
500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-250VAC
-	-	-	600mA-250VAC	-	600mA-250VAC	600mA-250VAC
630mA-250VAC	630mA-250VAC	630mA-250VAC	630mA-250VAC	630mA-250VAC	630mA-250VAC	-
-	-	-	-	-	700mA-250VAC	700mA-250VAC
-	-	-	750mA-250VAC	750mA-250VAC	750mA-250VAC	-
800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-250VAC
1A-250VAC	1A-250VAC	1A-250VAC	1A-250VAC	1A-250VAC	1A-250VAC	1A-250VAC
-	-	-	1.2A-250VAC	-	1.2A-250VAC	-
1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-250VAC
-	-	-	1.5A-250VAC	1.5A-250VAC	1.5A-250VAC	1.5A-250VAC
1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-250VAC
2A-250VAC	2A-250VAC	2A-250VAC	2A-250VAC	2A-250VAC	2A-250VAC	2A-250VAC
-	-	-	-	-	-	-
2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-250VAC
-	-	-	3A-250VAC	-	3A-250VAC	3A-250VAC
3.15A-250VAC	3.15A-250VAC	3.15A-250VAC	3.15A-250VAC	3.15A-250VAC	3.15A-250VAC	3.15A-250VAC
-	-	-	3.5A-250VAC	-	3.5A-250VAC	-
4A-250VAC	4A-250VAC	4A-250VAC	4A-250VAC	4A-250VAC	4A-250VAC	4A-250VAC
5A-250V	5A-250VAC	5A-250VAC	5A-250VAC	5A-250VAC	5A-250VAC	5A-250VAC
-	-	-	6A-250VAC	-	6A-250VAC	6A-250VAC
6.3A-250VAC	6.3A-250VAC	6.3A-250VAC	6.3A-250VAC	6.3A-250VAC	6.3A-250VAC	6.3A-250VAC
-	-	-	7A-250VAC	7A-250VAC	7A-250VAC	7A-250VAC
8A-250VAC	8A-250VAC	8A-250VAC	8A-250VAC	8A-250VAC	8A-250VAC	8A-250VAC
-	-	-	9A-250VAC	-	9A-250VAC	-
10A-250VAC	10A-250VAC	10A-250VAC	10A-250VAC	10A-250VAC	10A-250VAC	10A-250VAC
12A-250VAC	12A-250VAC	12A-250VAC	12A-250VAC	12A-250VAC	12A-250VAC	12A-250VAC
12.5A-250VAC	12.5A-250VAC	12.5A-250VAC	-	-	-	-
15A-250VAC	15A-250VAC	15A-250VAC	15A-250VAC	15A-250VAC	15A-250VAC	15A-250VAC
16A-250VAC	16A-250VAC	16A-250VAC	-	-	-	-
-	-	-	-	-	-	-
-	20A-250VAC	-	-	20A-250VAC	-	20A-250VAC

Electronic Tube Fuses

www.optifuse.com • (619) 593-5050

5 x 20 mm	¼” x 1 ¼” (6.3 x 32 mm)				
Medium Time-Delay	Fast-Acting		Time-Delay		Super Fast-Acting
Glass	Glass	Ceramic	Glass	Ceramic	Ceramic
MSC/MSC-P	FSA/FSA-P	FCA/FCA-P	TSA/TSA-P	TCA/TCA-P	SCA/SCA-P
					
100mA-250VAC	100mA-250VAC	-	-	100mA-250VAC	-
125mA-250VAC	125mA-250VAC	-	-	125mA-250VAC	-
150mA-250VAC	150mA-250VAC	-	-	-	-
160mA-250VAC	160mA-250VAC	-	-	-	-
-	-	-	-	-	-
200mA-250VAC	200mA-250VAC	-	200mA-250VAC	200mA-250VAC	200mA-500VAC
250mA-250VAC	250mA-250VAC	-	250mA-250VAC	250mA-250VAC	250mA-500VAC
300mA-250VAC	300mA-250VAC	300mA-250VAC	300mA-250VAC	300mA-250VAC	300mA-500VAC
315mA-250VAC	315mA-250VAC	315mA-250VAC	315mA-250VAC	-	315mA-500VAC
350mA-250VAC	350mA-250VAC	350mA-250VAC	350mA-250VAC	-	350mA-500VAC
375mA-250VAC	-	375mA-250VAC	-	375mA-250VAC	375mA-500VAC
400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-250VAC	400mA-500VAC
500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-250VAC	500mA-500VAC
600mA-250VAC	600mA-250VAC	600mA-250VAC	600mA-250VAC	600mA-250VAC	600mA-500VAC
630mA-250VAC	630mA-250VAC	630mA-250VAC	630mA-250VAC	630mA-250VAC	630mA-500VAC
700mA-250VAC	-	-	-	-	700mA-500VAC
750mA-250VAC	750mA-250VAC	750mA-250VAC	750mA-250VAC	750mA-250VAC	750mA-500VAC
800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-250VAC	800mA-500VAC
1A-250VAC	1A-250VAC	1A-250VAC	1A-250VAC	1A-250VAC	1A-500VAC
1.2A-250VAC	1.2A-250VAC	1.2A-250VAC	1.2A-250VAC	1.2A-250VAC	-
1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-250VAC	1.25A-500VAC
1.5A-250VAC	1.5A-250VAC	1.5A-250VAC	1.5A-250VAC	1.5A-250VAC	1.5A-500VAC
1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-250VAC	1.6A-500VAC
2A-250VAC	2A-250VAC	2A-250VAC	2A-250VAC	2A-250VAC	2A-500VAC
2.25A-250VAC	-	-	-	-	-
2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-250VAC	2.5A-500VAC
3A-250VAC	3A-250VAC	3A-250VAC	3A-250VAC	3A-250VAC	3A-500VAC
3.15A-250VAC	3.15A-250VAC	3.15A-250VAC	3.15A-250VAC	-	3.15A-500VAC
3.5A-250VAC	3.5A-250VAC	3.5A-250VAC	3.5A-250VAC	3.5A-250VAC	3.5A-500VAC
4A-250VAC	4A-250VAC	4A-250VAC	4A-250VAC	4A-250VAC	4A-500VAC
5A-250VAC	5A-250VAC	5A-250VAC	5A-250VAC	5A-250VAC	5A-500VAC
6A-250VAC	6A-250VAC	6A-250VAC	6A-250VAC	6A-250VAC	6A-500VAC
6.3A-250VAC	6.3A-250VAC	-	6.3A-250VAC	-	6.3A-500VAC
7A-250VAC	7A-250VAC	7A-250VAC	7A-250VAC	7A-250VAC	7A-500VAC
-	-	-	-	-	-
8A-250VAC	8A-250VAC	8A-250VAC	8A-250VAC	8A-250VAC	8A-500VAC
9A-250VAC	9A-250VAC	9A-250VAC	-	-	-
10A-250VAC	10A-250VAC	10A-250VAC	10A-250VAC	10A-250VAC	10A-500VAC
12A-250VAC	12A-32VAC	12A-250VAC	12A-32VAC	12A-250VAC	12A-500VAC
-	-	-	-	-	12.5A-500VAC
-	-	-	13A-32VAC	13A-250VAC	-
15A-250VAC	15A-32VAC	15A-250VAC	15A-32VAC	15A-250VAC	15A-500VAC
-	16A-32VAC	-	16A-32VAC	-	16A-500VAC
-	-	-	18A-32VAC	-	-
-	20A-32VAC	20A-250VAC	20A-32VAC	20A-250VAC	20A-500VAC
-	25A-32VAC	25A-250VAC	25A-32VAC	25A-250VAC	25A-500VAC
-	30A-32VAC	30A-250VAC	30A-32VAC	30A-250VAC	-





Industrial Fuses






(800) 621-0326 • www.optifuse.com

13/32” x 1-1/2”						
Fast-Acting		Time-Delay			Super Fast-Acting	
Fiberglass		Fiberglass			Fiberglass	
FPK-R	FPK	TPCC-R	TPK-R	TPK	SPG	SPV
						
100mA-600VAC	100mA-600VAC	-	100mA-600VAC	100mA-500VAC	-	-
125mA-600VAC	125mA-600VAC	-	125mA-600VAC	125mA-500VAC	-	-
-	-	-	150mA-600VAC	150mA-500VAC	-	-
-	-	-	187mA-600VAC	187mA-500VAC	-	-
200mA-600VAC	200mA-600VAC	-	200mA-600VAC	200mA-500VAC	-	-
250mA-600VAC	250mA-600VAC	250mA-600VAC	250mA-600VAC	250mA-500VAC	-	-
300mA-600VAC	-	-	300mA-600VAC	300mA-500VAC	-	-
-	-	-	400mA-600VAC	400mA-500VAC	-	-
500mA-600VAC	500mA-600VAC	500mA-600VAC	500mA-600VAC	500mA-500VAC	-	-
-	-	-	600mA-600VAC	600mA-500VAC	-	-
750mA-600VAC	750mA-600VAC	-	750mA-600VAC	-	-	-
-	-	800mA-600VAC	800mA-600VAC	800mA-500VAC	-	-
1A-600VAC	1A-600VAC	1A-600VAC	1A-600VAC	1A-500VAC	1A-1000VDC	1A-1000VDC
-	-	1.125A-600VAC	1.125A-600VAC	1.125A-500VAC	-	-
-	-	1.25A-600VAC	1.25A-600VAC	1.25A-500VAC	-	-
-	-	1.4A-600VAC	1.4A-600VAC	1.4A-500VAC	-	-
1.5A-600VAC	1.5A-600VAC	1.5A-600VAC	1.5A-600VAC	1.5A-500VAC	-	-
-	-	1.6A-600VAC	1.6A-600VAC	1.6A-500VAC	-	-
-	-	1.8A-600VAC	1.8A-600VAC	1.8A-500VAC	-	-
2A-600VAC	2A-600VAC	2A-600VAC	2A-600VAC	2A-500VAC	2A-1000VDC	2A-1000VDC
-	-	-	-	2.125A-500VAC	-	-
-	-	2.25A-600VAC	2.25A-600VAC	2.25A-500VAC	-	-
2.5A-600VAC	-	2.5A-600V AC	2.5A-600VAC	2.5A-500VAC	-	-
-	-	2.8A-600VAC	2.8A-600VAC	2.8A-500VAC	-	-
3A-600VAC	3A-600VAC	3A-600VAC	3A-600VAC	3A-500VAC	3A-1000VDC	3A-1000VDC
-	-	3.2A-600VAC	3.2A-600VAC	3.2A-500VAC	-	-
3.5A-600VAC	-	3.5A-600VAC	3.5A-600VAC	3.5A-500VAC	-	-
4A-600VAC	4A-600VAC	4A-600VAC	4A-600VAC	4A-500VAC	4A-1000VDC	4A-1000VDC
-	-	4.5A-600VAC	4.5A-600VAC	4.5A-500VAC	-	-
5A-600VAC	5A-600VAC	5A-600VAC	5A-600VAC	5A-500VAC	5A-1000VDC	5A-1000VDC
-	-	5.6A-600VAC	5.6A-600VAC	5.6A-500VAC	-	-
6A-600VAC	6A-600VAC	6A-600VAC	6A-600VAC	6A-500VAC	6A-1000VDC	6A-1000VDC
-	-	6.25A-600VAC	6.25A-600VAC	6.25A-500VAC	-	-
7A-600VAC	7A-600VAC	7A-600VAC	7A-600VAC	7A-500VAC	-	-
-	-	7.5A-600VAC	7.5A-600VAC	-	-	-
8A-600VAC	8A-600VAC	8A-600VAC	8A-600VAC	8A-500VAC	8A-1000VDC	8A-1000VDC
9A-600VAC	-	9A-600VAC	9A-600VAC	9A-500VAC	-	-
10A-600VAC	10A-600VAC	10A-600VAC	10A-600VAC	10A-500VAC	10A-1000VDC	10A-1000VDC
12A-600VAC	12A-600VAC	12A-600VAC	12A-600VAC	12A-500VAC	12A-1000VDC	12A-1000VDC
-	-	-	-	-	-	-
-	-	-	-	14A-500VAC	-	-
15A-600VAC	15A-600VAC	15A-600VAC	15A-600VAC	15A-500VAC	15A-1000VDC	15A-1000VDC
-	-	-	-	-	-	16A-1000VDC
-	-	17.5-600VAC	17.5-600VAC	-	-	-
20A-600VAC	20A-600VAC	20A-600VAC	20A-600VAC	20A-500VAC	20A-1000VDC	20A-1000VDC
25A-600VAC	25A-600VAC	25A-600VAC	25A-600VAC	25A-500VAC	25A-1000VDC	25A-1000VDC
30A-600VAC	30A-600VAC	30A-600VAC	30A-600VAC	30A-500VAC	30A-1000VDC	30A-1000VDC

Resettable Fuses (PTC)





www.optifuse.com • (619) 593-5050

Radial Lead						
16V		30V		36V	60V	
RS16	RS16HT	RS30	RS30HT	RS36	RS60RB	RS60SB
						
2.5A-16VDC	2A-16VDC	900mA-30VDC	500mA-30VDC	500mA-36VDC	50mA-60VDC	500mA-60VDC
3A-16VDC	3A-16VDC	1.1A-30VDC	700mA-30VDC	750mA-36VDC	100mA-60VDC	650mA-60VDC
4A-16VDC	4A-16VDC	1.35A-30VDC	1A-30VDC	900mA-36VDC	170mA-60VDC	750mA-60VDC
5A-16VDC	4.5A-16VDC	1.6A-30VDC		1.2A-36VDC	200mA-60VDC	900mA-60VDC
6A-16VDC	5.5A-16VDC	1.85A-30VDC		1.35A-36VDC	250mA-60VDC	1.1A-60VDC
7A-16VDC	6A-16VDC	2.5A-30VDC		1.6A-36VDC	300mA-60VDC	1.35A-60VDC
8A-16VDC	6.5A-16VDC	3A-30VDC		1.9A-36VDC	400mA-60VDC	1.6A-60VDC
9A-16VDC	7A-16VDC	4A-30VDC		2.2A-36VDC	500mA-60VDC	1.85A-60VDC
10A-16VDC	7.5A-16VDC	5A-30VDC		2.5A-36VDC	650mA-60VDC	2.5A-60VDC
11A-16VDC	8A-16VDC	6A-30VDC			750mA-60VDC	3A-60VDC
12A-16VDC	9A-16VDC	7A-30VDC			900mA-60VDC	3.75A-60VDC
14A-16VDC	10A-16VDC	8A-30VDC			1.1A-60VDC	4A-60VDC
	11A-16VDC	9A-30VDC			1.35A-60VDC	5A-60VDC
	13A-16VDC				1.6A-60VDC	
	14A-16VDC				1.85A-60VDC	
	15A-16VDC				2.5A-60VDC	
					3A-60VDC	
					3.75A-60VDC	





Radial Lead						
90V		120V	240V	100/250V	250/600V	16/30V
RBR	RS90	RS120	RS240	RS250	RS600	RSUSB
						
100mA-90VDC	100mA-72/90VDC	100mA-120VDC/VAC	50mA-240VDC/VAC	80mA-100/250VDC	150mA-250/600VDC	750mA-16VDC
150mA-90VDC	150mA-72/90VDC	170mA-120VDC/VAC	80mA-240VDC/VAC	110mA-100/250VDC	160mA-250/600VDC	900mA-16/30VDC
200mA-90VDC	170mA-72/90VDC	200mA-120VDC/VAC	120mA-240VDC/VAC	120mA-100/250VDC		1.1A-16/30VDC
250mA-90VDC	200mA-72/90VDC	250mA-120VDC/VAC	160mA-240VDC/VAC	145mA-100/250VDC		1.2A-16VDC
350mA-90VDC	250mA-72/90VDC	300mA-120VDC/VAC	250mA-240VDC/VAC	150mA-100/250VDC		1.35A-16/30VDC
550mA-90VDC	300mA-72/90VDC	400mA-120VDC/VAC	330mA-240VDC/VAC	180mA-100/250VDC		1.55A-16VDC
750mA-90VDC	350mA-72/90VDC	500mA-120VDC/VAC	400mA-240VDC/VAC			1.6A-16/30VDC
900mA-90VDC	400mA-72/90VDC	650mA-120VDC/VAC	550mA-240VDC/VAC			1.85A-16/30VDC
	500mA-72/90VDC	700mA-120VDC/VAC	750mA-240VDC/VAC			2.5A-16/30VDC
	550mA-72/90VDC	750mA-120VDC/VAC	1A-240VDC/VAC			
	650mA-72/90VDC	900mA-120VDC/VAC	1.25A-240VDC/VAC			
	750mA-72/90VDC	1A-120VDC/VAC	2A-240VDC/VAC			
	900mA-72/90VDC	1.1A-120VDC/VAC				
	1.1A-72/90VDC	1.25A-120VDC/VAC				
	1.35A-72/90VDC	1.3A-120VDC/VAC				
	1.6A-72/90VDC	1.35A-120VDC/VAC				
	1.85A-72/90VDC	1.6A-120VDC/VAC				
	2.5A-72/90VDC	1.85A-120VDC/VAC				
	3A-72/90VDC	2A-120VDC/VAC				
	3.75A-72/90VDC	2.5A-120VDC/VAC				
		3A-120VDC/VAC				
		3.75A-120VDC/VAC				

Resettable Fuses (PTC)

(800) 621-0326 • www.optifuse.com



Surface Mount					
R2920 R2920-R	R1812 R1812-R	R1210 R1210-R	R1206 R1206-R	R0805 R0805-R	R0603-R
					
300mA-60 ¹² VDC	100mA-60 ¹² VDC	50mA-60 ¹² VDC	50mA-60 ¹² VDC	100mA-15 ¹² VDC	10mA-60 ² VDC
500mA-60 ¹² VDC	140mA-60 ¹² VDC	100mA-60 ¹² VDC	100mA-60 ¹² VDC	200mA-9 ¹² VDC	20mA-60 ² VDC
750mA-33 ¹² /60 ² VDC	200mA-30 ¹² /60 ² VDC	200mA-30 ¹² VDC	120mA-48 ¹² VDC	350mA-6 ¹² VDC	30mA-30 ² VDC
1A-33 ¹² /60 ² VDC	350mA-16 ¹² /30 ² VDC	350mA-16 ¹² VDC	160mA-48 ¹² VDC	500mA-6 ² /9 ² VDC	40mA-24 ² VDC
1.25A-33 ¹² VDC	500mA-16 ¹² /30 ² VDC	500mA-16 ¹² VDC	200mA-30 ¹² VDC	750mA-6 ² VDC	50mA-15 ² VDC
1.5A-33 ¹² VDC	750mA-16 ¹² /24 ² /33 ² VDC	750mA-8 ¹² /24 ² VDC	250mA-16 ¹² /24 ² VDC	1A-6 ² VDC	100mA-15 ² VDC
1.85A-33 ¹² VDC	1.1A-8 ¹² /16 ¹² /24 ² VDC	1.1A-6 ² VDC	350mA-16 ¹² /30 ² VDC		120mA-9 ² VDC
2A-16 ¹² /24 ² VDC	1.25A-6 ¹² /16 ² VDC	1.5A-6 ² VDC	500mA-8 ¹² /24 ² VDC		160mA-9 ² VDC
2.5A-16 ¹² VDC	1.5A-8 ¹² /12 ² /24 ² VDC	1.75A-6 ² VDC	750mA-6 ² /16 ² VDC		200mA-6 ² VDC
2.6A-6 ¹² /24 ² VDC	1.6A-8 ¹² /12 ² /16 ² VDC	2A-6 ² VDC	1A-6 ² VDC		
3A-6 ¹² /15 ² VDC	2A-8 ² VDC		1.1A-6 ² VDC		
	2.6A-8 ² /13.2 ² /16 ² VDC		1.5A-6 ² VDC		
	3A-6 ² VDC		2A-6 ² VDC		

1 = Offered with Square End 2 =Offered with Circular Cut-Out

Axial Lead					
RALR	RALT	RASR	RAVL	RAVT	RASL (Lo-Rho)
					
1.9A-15VDC	700mA-24VDC	1.2A-15VDC	1.7A-12VDC	1.1A-16VDC	1.4A-6VDC
2.6A-15VDC	1A-24VDC	1.75A-15VDC	1.75A-12VDC	1.7A-16VDC	1.9A-6VDC
3.8A-15VDC	1.8A-24VDC	2A-30VDC	2.3A-12VDC	1.75A-16VDC	2.5A-6VDC
4.5A-20VDC	1.9A-24VDC	3.5A-30VDC		2A-16VDC	2.7A-6VDC
5.5A-20VDC	2.6A-24VDC	4.2A-30VDC		2.1A-16VDC	3.1A-6VDC
6A-20VDC	3A-24VDC			2.4A-16VDC	3.7A-6VDC
7.3A-20VDC	3.1A-24VDC				4.5A-6VDC
	3.4A-24VDC				



Automotive Blade Fuses




www.optifuse.com • (619) 593-5050

Automotive Fuse					
	MICRO2®	Low-Profile Mini	Mini	Regular (ATO®/ATC®)	Maxi
					
Polycarbonate Body (PC)	APT	APS	APM	APR	APX
	5-30A 32VDC	2-30A 32VDC	2-35A 32VDC	1-40A 32VDC	20-120A 32VDC
Polycarbonate Body (PC) With LED		APS-I	APM-I	APR-I	APX-I
		2-30A 32VDC	2-40A 32VDC	2-40A 32VDC	20-100A 32VDC
Nylon Body	ANT	ANS	ANM	ANR	ANX
	5-30A 32VDC	3-30A 32VDC	3-30A 32VDC	3-40A 32VDC	20-100A 32VDC
Nylon Body With UL Aproval			APM-UL	APR-UL	
			2-30A 32VDC	1-40A 32VDC	
Fiberglass Reinforced Plastic				APR58	
				500mA-40A 58VDC	

Automotive Bolt-On & Link Fuses

(800) 621-0326 • www.optifuse.com

Link												Bolt-On
PAL-Type												Battery Protection Fuse
TFLB		TFLD		TFLM		TFLF		TFLS		TFLP		ABP
												
20A-32VDC	Lt. Blue	20A-32VDC	Lt. Blue	20A-32VDC	Lt. Blue	20A-32VDC	Lt. Blue	20A-32VDC	Lt. Blue	-	-	30A-58VDC
-	-	-	-	-	-	-	-	-	-	-	-	40A-58VDC
30A-32VDC	Pink	30A-32VDC	Pink	30A-32VDC	Pink	30A-32VDC	Pink	30A-32VDC	Pink	-	-	50A-58VDC
40A-32VDC	Green	40A-32VDC	Green	40A-32VDC	Green	40A-32VDC	Green	40A-32VDC	Green	-	-	60A-58VDC
-	-	-	-	-	-	-	-	-	-	45A-32VDC	Red	75A-58VDC
50A-32VDC	Red	50A-32VDC	Red	50A-32VDC	Red	50A-32VDC	Red	50A-32VDC	Red	-	-	80A-58VDC
60A-32VDC	Yellow	60A-32VDC	Yellow	60A-32VDC	Yellow	60A-32VDC	-	60A-32VDC	-	-	-	100A-58VDC
-	-	-	-	-	-	-	-	-	-	65A-32VDC	Black	125A-58VDC
70A-32VDC	Brown	70A-32VDC	Brown	70A-32VDC	Brown	70A-32VDC	Brown	70A-32VDC	Brown	-	-	150A-58VDC
-	-	-	-	-	-	-	-	-	-	75A-32VDC	Gray	175A-58VDC
80A-32VDC	Black	80A-32VDC	Black	80A-32VDC	Black	80A-32VDC	Black	80A-32DCV	Black	-	-	200A-58VDC
100A-32VDC	Blue	100A-32VDC	Blue	100A-32VDC	Blue	-	-	-	-	-	-	225A-58VDC
120A-32VDC	Gray	120A-32VDC	Gray	120A-32VDC	Gray	-	-	-	-	-	-	250A-58VDC
												300A-58VDC

Link				Bolt-On							
Low-Profile JCASE®		JCASE®		Limiter-Type		MEGA®		MIDI®-Type			
FMX-LP		FMX		ANE	ANF	MGGA		MID		MIDA	
											
20A-58VDC	Lt. Blue	20A-32VDC	Lt. Blue	-	-	-	-	-	-	-	-
25A-58VDC	White	25A-32VDC	White	-	-	-	-	30A-32VDC	Orange	30A-32VDC	Orange
30A-58VDC	Pink	30A-32VDC	Pink	40A-32VDC	40A-32VDC	-	-	40A-32VDC	Green	40A-32VDC	Green
40A-58VDC	Green	40A-32VDC	Green	50A-32VDC	50A-32VDC	-	-	50A-32VDC	Red	50A-32VDC	Red
50A-58VDC	Red	50A-32VDC	Red	60A-32VDC	60A-32VDC	-	-	60A-32VDC	Yellow	60A-32VDC	Yellow
60A-58VDC	Yellow	60A-32VDC	Yellow	70A-32VDC	70A-32VDC	-	-	70A-32VDC	Brown	70A-32VDC	Brown
		80A-32VDC	80A-32VDC	-	-	-	-	80A-32VDC	Clear	80A-32VDC	Clear
		100A-32VDC	100A-32VDC	100A-32VDC	Yellow	100A-32VDC	Blue	100A-32VDC	Blue	100A-32VDC	Blue
		125A-32VDC	125A-32VDC	125A-32VDC	Green	125A-32VDC	Pink	125A-32VDC	Pink	125A-32VDC	Pink
		130A-32VDC	130A-32VDC	-	-	-	-	-	-	-	-
		150A-32VDC	150A-32VDC	150A-32VDC	Orange	150A-32VDC	Gray	150A-32VDC	Gray	150A-32VDC	Gray
		175A-32VDC	175A-32VDC	175A-32VDC	Clear	-	-	-	-	-	-
		180A-32VDC	180A-32VDC	-	-	-	-	-	-	-	-
		200A-32VDC	200A-32VDC	200A-32VDC	Blue	200A-32VDC	Violet	200A-32VDC	Violet	200A-32VDC	Violet
		225A-32VDC	225A-32VDC	225A-32VDC	Tan	-	-	-	-	-	-
		250A-32VDC	250A-32VDC	250A-32VDC	Pink	-	-	-	-	-	-
		275A-32VDC	275A-32VDC	-	-	-	-	-	-	-	-
		300A-32VDC	300A-32VDC	-	-	-	-	-	-	-	-
		325A-32VDC	-	-	-	-	-	-	-	-	-
		350A-32VDC	-	-	-	-	-	-	-	-	-
		400A-32VDC	-	-	-	-	-	-	-	-	-
20A-32VDC	Lt. Blue	20A-32VDC	Lt. Blue								
25A-32VDC	White	-	-								
30A-32VDC	Pink	30A-32VDC	Pink								
40A-32VDC	Green	40A-32VDC	Green								
50A-32VDC	Red	50A-32VDC	Red								
60A-32VDC	Yellow	60A-32VDC	Yellow								

Automotive/Low Voltage Circuit Breakers

www.optifuse.com • (619) 593-5050


No Bracket
(Metal)



No Bracket
(Plastic)




Horizontal
Bracket
(Metal)




Horizontal
Bracket
(Plastic)



Vertical
Bracket
(Metal)



Vertical
Bracket
(Plastic)



Part Number Information

ACB	P	-	12	-	N	-	15
Series	Table A	-	Table B	-	Table C	-	Table D

Series - Full Size

ACB	Type I	Automatic Reset
MOCB	Type II	Modified Reset
MRCB	Type III	Manual Reset

Table A - Body Material

Code	Material	ACB	MOCB	MRCB
Blank	Metal	●	●	●
P	Plastic	●		●

Table B - Available Voltages

Code	Voltage	ACB	MOCB	MRCB
12	12VDC	●	●	
24	24VDC	●	●	●

Table C - Mounting Bracket

Code	Mount	ACB	MOCB	MRCB
N	No Bracket	●	●	●
H	Horizontal Bracket	●	●	●
V	Vertical Bracket	●	●	●


Table D - Available Amperages

Code	10	15	20	25	30	35	40	50
Amperages	10A	15A	20A	25A	30A	35A	40A	50A


Automotive/Low Voltage Circuit Breakers

(800) 621-0326 • www.optifuse.com


Compact Circuit Breakers

ACB2-PL	MOCB2-PCL	MOCB2-TP	MOCB2-CL
Type I	Type II	Type II	Type II
			
10A-12VDC	10A-12VDC	10A-12VDC	10A-12VDC
15A-12VDC	15A-12VDC	15A-12VDC	15A-12VDC
20A-12VDC	20A-12VDC	20A-12VDC	20A-12VDC
25A-12VDC	25A-12VDC	25A-12VDC	25A-12VDC
30A-12VDC	30A-12VDC	30A-12VDC	30A-12VDC
35A-12VDC	35A-12VDC	35A-12VDC	35A-12VDC
40A-12VDC	40A-12VDC	40A-12VDC	40A-12VDC

Compact Circuit Breakers

MOCB2-PL	MOCB2-PL2	MOCB2-S
Type II	Type II	Type II
		
10A-12VDC	10A-12VDC	10A-12VDC
15A-12VDC	15A-12VDC	15A-12VDC
20A-12VDC	20A-12VDC	20A-12VDC
25A-12VDC	25A-12VDC	25A-12VDC
30A-12VDC	30A-12VDC	30A-12VDC
35A-12VDC	35A-12VDC	35A-12VDC
40A-12VDC	40A-12VDC	40A-12VDC

CBS-P




- Mounting rail for full size, low voltage circuit breakers
- Has 2, 4, 6, 8 or 10 poles
- To be used with ACB-N or MOCB-N circuit breakers

Automotive/Low Voltage Circuit Breakers

www.optifuse.com • (619) 593-5050

Auto Blade					
Low-Profile Mini		Mini		Mini	
ACBP4-PS MRCBP4-PS		ACBP4-PML (Extended Body)		ACBP4-PM MRCBP4-PM	
Type I & Type III		Type I		Type I & Type III	
					
5A-58VDC	Lt. Brown	5A-14VDC	Lt. Brown	5A-14/28VDC	Lt. Brown
7.5A-58VDC	Brown	7.5A-14VDC	Brown	7.5A-14/28VDC	Brown
10A-58VDC	Red	10A-14VDC	Red	10A-14/28VDC	Red
15A-58VDC	Blue	15A-14VDC	Blue	15A-14/28VDC	Blue
20A-58VDC	Yellow	20A-14VDC	Yellow	20A-14/28VDC	Yellow
25A-58VDC	White	25A-14VDC	White	25A-14/28VDC	White
30A-58VDC	Green	30A-14VDC	Green	30A-14/28VDC	Green

Auto Blade			
Regular		Maxi	
ACBP4-PL MRCBP4-PL		ACBP4-PX MOCBP4-PX	ACBP4-2PX MOCBP4-2PX MRCBP4-2PX
Type I & Type III		Type I & II	Type I, II & III
			
5A-14/28VDC	Lt. Brown	-	-
6A-14/28VDC	Black	6A-14VDC	6A-28VDC
7.5A-14/28VDC	Brown	-	-
8A-14/28VDC	Brown	8A-14VDC	8A-28VDC
10A-14/28VDC	Red	10A-14VDC	10A-28VDC
15A-14/28VDC	Blue	15A-14VDC	15A-28VDC
20A-14/28VDC	Yellow	20A-14VDC	20A-28VDC
25A-14/28VDC	White	25A-14VDC	25A-28VDC
30A-14/28VDC	Green	30A-14VDC	30A-28VDC
-	-	35A-14VDC	35A-28VDC
-	-	40A-14VDC	40A-28VDC
-	-	50A-14VDC	50A-28VDC

High Current Circuit Breakers

(800) 621-0326 • www.optifuse.com

Type I



Panel Mount



Surface Mount

141 Series

Available Amperages - 42VDC					
30A	40A	50A	60A	70A	80A
90A	100A	120A	135A	150A	-

151 Series

Available Amperages - 42VDC				
50A	60A	70A	80A	90A
100A	120A	135A	150A	-

Type III



Panel Mount



UL Approved

Surface Mount

143 Series


Available Amperages - 58VDC						
30A	40A	50A	60A	70A	80A	90A
100A	120A	135A	150A	180A	200A	-

153 Series

Available Amperages - 58VDC					
50A	60A	70A	80A	90A	100A
120A	135A	150A	180A	200A	-

Line Voltage Circuit Breakers

www.optifuse.com • (619) 593-5050



- W28/CTB Style
- Push to Reset
- Voltage 125/250 VAC, 50/60 Hz. and 200A @ 32VDC
- Interrupt Capacity: 1000A @ 250VAC, 50/60 Hz. and 200A @32VDC
- Panel Thickness: 0.031-0.083 inches
- Terminals: 0.25 inches Quick Connect
- cULus/CSA

CBW28



Available Amperages										
1A	1.25A	1.5A	1.75A	2A	2.25A	2.5A	3A	3.5A	4A	5A
6A	7A	8A	9A	10A	11A	12A	13A	15A	16A	-


Line Voltage Circuit Breakers

(800) 621-0326 • www.optifuse.com


CBW58



- W58/CLB Style
- Push to Reset
- Voltage 125/250 VAC, 50/60 Hz. and 200A @ 50VDC
- Interrupt Capacity: 1000A @ 125VAC, 200A @ 250VAC
- Terminals: 0.25 inches Quick Connect
- cURus/TUV/VDE
- See Website for Configuration Options



Available Amperages										
3A	4A	5A	6A	7A	8A	9A	10A	11A	12A	13A
15A	16A	18A	20A	22A	25A	30A	35A	40A	45A	50A



- W57/CLM Style
- Push to Reset
- Voltage 125/250 VAC, 50/60 Hz. and 200A @ 50VDC
- Interrupt Capacity: 1000A @ 125VAC, 200A @ 250VAC
- Terminals: 0.25 inches Quick Connect
- cURus/CSA/TUV/VDE
- See Website for Configuration Options

CBW57




Available Amperages									
3A	3.5A	4A	5A	6A	7A	7.5A	8A	10A	11A
12A	13A	15A	16A	17A	18A	20A	22A	25A	30A

CBW68



- W68 Style
- Push to Reset
- Voltage 125/250 VAC, and 200A @ 50VDC
- Interrupt Capacity: 1000A @ 125VAC, 200A @ 250VAC
- Terminals: 0.25 inches Quick Connect
- See Website for Configuration Options



Available Amperages	
50A	60A
70A	80A

CBW-B










Splashproof Boots for:

- CBW57
- CBW58
- CBW68

Inline Fuse Holders-Glass & Ceramic

www.optifuse.com • (619) 593-5050

¼" x 1¼" (6.3 x 32 mm)			
LPA-01	LPA-02	LPA-03	LPA-04
20A 32VDC	30A 32VDC	30A 32VDC	30A 32VDC
			
¼" x 1¼" (6.3 x 32 mm)			
LPA-05	LPA-06	LPA-07	LPA-08
30A 32VDC	20A 32VDC	20A 32VDC	20A 32VDC
			
¼" x 1¼" (6.3 x 32 mm)			
LPA-09	LPA-10	LPA-21	LPA-24
20A 32VDC	20A 32VDC	10A 250VAC	20A 32VDC/250VAC
			
5 x 20 mm			
LPC-02	LPC-08	LPC-21	LPC-24
10A 32VDC	10A 32VDC	5A 250VAC	20A 32VDC/250VAC
			



Please consult factory for available wire sizes, colors and or lengths




Access-A-Fuse, Fuse Taps & Add-A-Fuse





(800) 621-0326 • www.optifuse.com

APM-AF Available in:

- 10A(+3A)-32VDC
- 15A(+5A)-32VDC
- 20A(+7.5A)-32VDC



Access-A-Fuse	
Mini	Regular
APM-AF	APR-AF
-	20A(+7.5A) 32VDC
	




Fuse Tap		
Low-Profile Mini	Mini	Regular
ANS-W	ANM-W	ANR-W
10-20A 32VDC	10-20A 32VDC	10-20A 32VDC
		



Add-A-Fuse			
MICRO2®	Low-Profile Mini	Mini	Regular
LPT-08	LPS-08	LPM-08	LPR-08
30A 32VDC	30A 32VDC	30A 32VDC	30A 32VDC
			

In-line Fuse Holders-Automotive

www.optifuse.com • (619) 593-5050

MICRO2®		Low-Profile Mini
LPT-04	LPT-04B-I	LPS-01
30A 32VDC	30A 12/24VDC	30A 58VDC
		

Low-Profile Mini	Mini	
LPS-02	LPM-01	LPM-04B-I
30A 58VDC	30A 32VDC	10A-30A 24VDC
		



Mini		Regular	
LPM-05	LPM-05-TC	LPR-01	LPR-02
30A 32VDC	-	30A 32VDC	30A 32VDC
			



Please consult factory for available wire sizes, colors and or lengths

In-line Fuse Holders-Automotive

(800) 621-0326 • www.optifuse.com

Regular			
LPR-03	LPR-04B-I	LPR-05	LPR-05-TC
30A 32VDC	10A-30A 24VDC	30A 32VDC	-
			

Regular	Maxi-Type	
LPR-06	LPX-01	LPX-02
30A 32VDC	80A 32VDC	80A 32VDC
		



Maxi-Type		Universal*
LPX-04	LPX-04B-I	LPU-01
20A-60A 32VDC	20A-60A 24VDC	30A 32VDC
		





*Use with APM and APS style Auto Blade fuses
Please consult factory for available wire sizes, colors and or lengths

Automotive, Glass & Ceramic Fuse Blocks

www.optifuse.com • (619) 593-5050

Low-Profile Mini		Mini		Regular
Non-Indicating w/ Cover	Indicating w/ Cover	Non-Indicating w/ Cover	Indicating w/ Cover	Non- Indicating
				
BLS-310 10 Slots	BLS-I-310 10 Slots	BLM-304 4 Slots	BLM-I-304 4 Slots	BLC-106 6 Slots
-	-	BLM-306 6 Slots	BLM-I-306 6 Slots	BLC-108 8 Slots
-	-	BLM-310 10 Slots	BLM-I-310 10 Slots	BLC-110 10 Slots
-	-	-	-	BLC-112 12 Slots









Regular				
Non-Indicating w/ Ground	Cover	Non-Indicating w/ Cover	Indicating w/ Cover	Indicating w/ Cover
				
BLC-106-G 6 Slots	BLC-106-C 6 Slot Cover	BLR-304 4 Slots	BLR-I-304 4 Slots	BLR-I-301 Indicating
BLC-108-G 8 Slots	BLC-108-C 8 Slot Cover	BLR-306 6 Slots	BLR-I-306 6 Slots	-
BLC-110-G 10 Slots	BLC-110-C 10 Slot Cover	BLR-310 10 Slots	BLR-I-310 10 Slots	-
BLC-112-G 12 Slots	BLC-112-C 12 Slot Cover	-	-	-

Regular	Maxi-Type	Universal*	¼" x 1¼" (6.3 x 32 mm)	
Non- Indicating	Non- Indicating	Indicating w/ Cover	BLC-16	BLA-25
Interlocking	Interlocking	Interlocking	-	-
				
BLC-11 Single Slot	BLX-01 Single Slot	BLU-01 Single Slot	-	-

*Use with APM and APS style Auto Blade fuses

Glass, Ceramic, Bolt-On & Midget Fuse Blocks

(800) 621-0326 • www.optifuse.com

¼" x 1¼"	5 x 20 mm		ANE/ANF	
BLC-20A	BLC-20C	BLC-13	BLC-209	BLC-C
				
ANE/ANF				
BLC-08-GT	BLC-08-GTA	BLC-08-GTC	BLC-09	BLC-09-GT
				
ANE/ANF		MID-Style		
BLC-09-GTC	BLC-09-GTA	BLC-05-GTA	BLC-06B	
				
Midget (13/32" x 1-1/2")			BPK-101-SQ	BPK-500-B Series
				


3.6 mm Diameter		5 mm Diameter	
CSF-01	CSC-01	CSC-02	CSC-03
5 mm Diameter		1/4" Diameter	
CSC-05	CSC-08	CNA-01	CNA-03
1/4" Diameter		13/32" (10.3 mm)	
CSA-01	CSA-06	CSG-01	

Miniature				Regular
CNM-01	CNM-02	CNM-04	CNM-05	CNR-01
Regular (ATO®/ATC®)				Maxi
CNR-02	CNR-03	CNR-03-SMD	CNR-04	CNX-01
Maxi	Universal*		Micro	
CNX-02	CNU-01	CNU-03	BMS	BMS-R

*Use with APR, APM and APS style Auto Blade fuses

Panel Mount Fuse Holders

www.optifuse.com • (619) 593-5050

5 x 20 mm			
Slotted/Screw Cap			Slotted/Bayonet Cap
Right Angle	Straight		Right Angle
PMC-DS-05-SOR	PMC-DS-01-SOS	PMC-DS-04-SOS	PMC-DB-05-SOR
10A-250VAC	10A-250VAC	6.3A-250VAC 10A-125VAC	10A-250VAC
			
5 x 20 mm			
Slotted/Bayonet Cap	Finger/Screw Cap	Finger/Bayonet Cap	
Straight	Straight	Right Angle	Straight
PMC-DB-02-Q1S	PMC-KS-01-SOS	PMC-KB-07-SOR	PMC-KB-02-Q1S
15A-250VAC	10A-250VAC	10A-250VAC	10A-250VAC
			
5 x 20 mm	¼" x 1¼" (6.3 x 32 mm)		
Finger/Bayonet Cap	Slotted/Screw Cap		
Straight	Right Angle		Straight
PMC-KB-06-Q1S	PMA-DS-05-Q1R	PMA-DS-05-Q1R-SP	PMA-DS-01-Q1S
15A-250VAC	15A-250VAC	15A-250VAC	10A-250VAC
			

Panel Mount Fuse Holders

(800) 621-0326 • www.optifuse.com

¼" x 1¼" (6.3 x 32 mm)			
Slotted/Screw Cap			
Straight			
PMA-DS-02-Q1S	PMA-DS-03-Q2S	PMA-DS-04-Q1S	PMA-DS-06-SOS
15A-250VAC	15A-250VAC	10A-250VAC	20A-250VAC
			
¼" x 1¼" (6.3 x 32 mm)			
Slotted/Screw Cap			Slotted/Bayonet Cap
Straight			Right Angle
PMA-DS-07-SOS	PMA-DS-08-Q2S	PMA-DS-09-Q2S	PMA-DB-05-Q1R
20A-250VAC	10A-250VAC/12VDC	10A-250VAC	15A-250VAC
			
¼" x 1¼" (6.3 x 32 mm)			
Slotted/Bayonet Cap		Finger/Screw Cap	
Straight		Right Angle	Straight
PMA-DB-02-Q1S	PMA-DB-04-Q1S	PMA-KS-05-Q1R	PMA-KS-02-Q1S
15A-250VAC	10A-250VAC	15A-250VAC	10A-250VAC
			

Panel Mount Fuse Holders

www.optifuse.com • (619) 593-5050

1/4" x 1 1/4" (6.3 x 32 mm)			
Finger/Screw Cap			
Straight			
PMA-KS-03-Q2S	PMA-KS-06-Q1S	PKA-01	PMA-LS-AC1-Q2S
10A-250VAC	15A-250VAC	10A-250VAC	20A-250VAC
			
1/4" x 1 1/4" (6.3 x 32 mm)			
Finger/Screw Cap	Finger/Bayonet Cap		
Straight	Right Angle		Straight
PMA-LS-DC1-Q2S	PMA-KB-05-Q1R	PMA-KB-07-Q1R	PMA-KB-01-SOS
20A-250VDC	15A-250VAC	10A-250VAC	10A-250VAC
			
1/4" x 1 1/4" (6.3 x 32 mm)			
Finger/Bayonet Cap			
Straight			
PMA-KB-01H-SOS	PMA-KB-02-Q1S	PMA-KB-03-Q2S	PMA-KB-06-Q1S
30A-250VAC	10A-250VAC	10A-250VAC	15A-250VAC
			


Panel Mount Fuse Holders

(800) 621-0326 • www.optifuse.com

1/4" x 1 1/4" (6.3 x 32 mm)		13/32" x 1-1/2"	
Finger/Bayonet Cap	Push Button/Bayonet	Slotted/Screw Cap	Finger/Screw Cap
Straight	Straight	Straight	Right Angle
PMA-KB-08-Q1S	PMA-PB-01-SOS	PMG-DS-01-Q2S	PMG-KS-01-Q2R
10A-250VAC	10A-250VAC	30A-600VAC	30A-600VAC
			
		13/32" x 1-1/2"	
		Finger/Bayonet Cap	
		Straight	
		PMG-KB-01-Q2S	PMG-KB-02-Q2S
		30A-600VAC	30A-600VAC
			
5 x 20 mm			
Finger-Grip/Screwdriver Slot Combo			
Shocksafe PCB Mounted Fuse Holder			
PHC-01	PVC-01	PVC-02	
6.3-250VAC	6.3A-250VAC	10A-250VAC	
			

Fuse Kits and Accessories

www.optifuse.com • (619) 593-5050

Prefabricated Kits (Assortment of Fuse Amperages)				
APR-K-160 APR-K-80	APM-K-160 APM-K-80	APS-K-80	FSD-K-160 TSD-K-80	FSA-K-160 TSA-K-80
				

Customize Your Own Kit

- Choose from our large selection of fuses to fill your kits
- Select the specific quantities and amperages needed to complete your order
- Select the container:
 - 12 Slot Plastic Box
 - 8 Slot Plastic Box
 - Poly Bag w/ Custom Labeling (Sealed or Resealable)

Fuse Accessories				
Puller			Tester and Puller	
PUL-03	PUL-04	PUL-07	PUL-05	PUL-06
				

Index Look Up

P/N	Page	P/N	Page	P/N	Page	P/N	Page
141	16	BLR-310	23	LPA-21	19	PMA-PB-01-SOS	30
143	16	BLR-I-304	23	LPA-24	19	PMC-DB-02-Q1S	27
151	16	BLR-I-306	23	LPC-02	19	PMC-DB-05-SOR	27
153	16	BLR-I-310	23	LPC-08	19	PMC-DS-01-SOS	27
ABP	12	BLS-310	23	LPC-21	19	PMC-DS-04-SOS	27
ACB2-PL	14	BLS-I-310	23	LPC-24	19	PMC-DS-05-SOR	27
ACB-H	13	BLU-01	23	LPM-01	21	PMC-KB-02-Q1S	27
ACB-N	13	BLX-01	23	LPM-04B-I	21	PMC-KB-06-Q1S	27
ACB-V	13	BMS	26	LPM-05	21	PMC-KB-07-SOR	27
ACBP-H	13	BMS-R	26	LPM-05-TC	21	PMC-KS-01-SOS	27
ACBP-N	13	BPK-101-SQ	24	LPM-08	20	PMG-DS-01-Q2S	30
ACBP-V	13	BPK-501-B	24	LPR-01	21	PMG-KB-01-Q2S	30
ACBP4-PL	15	BPK-502-B	24	LPR-02	21	PMG-KB-02-Q2S	30
ACBP4-PM	15	BPK-503-B	24	LPR-03	22	PMG-KS-01-Q2R	30
ACBP4-PML	15	CBS-xxP	14	LPR-04B-I	22	PUL-03	31
ACBP4-PS	15	CBW28	17	LPR-05	22	PUL-04	31
ACBP4-PX	15	CBW57	17	LPR-05-TC	22	PUL-05	31
ACBP4-2PX	15	CBW58	18	LPR-06	22	PUL-06	31
ANE	12	CBW68	18	LPR-08	20	PUL-07	31
ANF	12	CNA-01	25	LPS-01	21	PVC-01	30
ANM	11	CNA-03	25	LPS-02	21	PVC-02	30
ANM-W	20	CNM-01	26	LPS-08	20	R0603	10
ANR	11	CNM-02	26	LPT-04	21	R0805	10
ANR-W	20	CNM-04	26	LPT-04B-I	21	R1206	10
ANS	11	CNM-05	26	LPT-08	20	R1210	10
ANS-W	20	CNR-01	26	LPU-01	22	R1812	10
ANT	11	CNR-02	26	LPX-01	22	R2920	10
ANX	11	CNR-03	26	LPX-02	22	RALR	10
APM	11	CNR-03-SMD	26	LPX-04	22	RALT	10
APM-AF	20	CNR-04	26	LPX-04B-I	22	RASL	10
APM-I	11	CNU-01	26	MGGA	12	RASR	10
APM-UL	11	CNU-03	26	MID	12	RAVL	10
APM-K	31	CNX-01	26	MIDA	12	RAVT	10
APR-AF	20	CNX-02	26	MOCB-H	13	RBR	9
APR	11	CSA-01	25	MOCB-N	13	RS16	9
APR-I	11	CSA-06	25	MOCB-V	13	RS16HT	9
APR-UL	11	CSC-01	25	MOCB2-CL	14	RS30	9
APR58	11	CSC-02	25	MOCB2-PCL	14	RS30HT	9
APR-K	31	CSC-03	25	MOCB2-PL	14	RS36	9
APS	11	CSC-05	25	MOCB2-PL2	14	RS60RB	9
APS-I	11	CSC-08	25	MOCB2-S	14	RS60SB	9
APS-K	31	CSF-01	25	MOCB2-TP	14	RS90	9
APT	11	CSG-01	25	MOCBP4-PX	15	RS120	9
APX	11	F0603	2	MOCBP4-2PX	15	RS240	9
APX-I	11	F1206	2	MRCB-H	13	RS250	9
BCM-01	1	FCA	7	MRCB-N	13	RS600	9
BLC-13	24	FCC	6	MRCB-V	13	RSUSB	9
BLC-20C	24	FCD	6	MRCBP-H	13	SCA	7
BLA-25	23	FCF	5	MRCBP-N	13	SPG	8
BLC-16	23	FCM	1	MRCBP-V	13	SPV	8
BLC-20A	24	FCM-R	1	MRCBP4-PL	15	T0603	2
BLC-05-GTA	24	FMR	3	MRCBP4-PM	15	T1206	2
BLC-06B	24	FMR-E	3	MRCBP4-PS	15	TCA	7
BLC-08-GT	24	FMR-R	3	MRCBP4-2PX	15	TCC	6
BLC-08-GTA	24	FMR-R-E	3	MSC	7	TCD	6
BLC-08-GTC	24	FMS	3	MXG	4	TCF	5
BLC-09	24	FMS-E	3	PHC-01	30	TCM	1
BLC-09-GT	24	FMS-R	3	PMA-DB-02-Q1S	28	TCM-R	1
BLC-09-GTA	24	FMS-R-E	3	PMA-DB-04-Q1S	28	TFLB	12
BLC-09-GTC	24	FMX	12	PMA-DB-05-Q1R	28	TFLD	12
BLC-209	24	FMX-I	12	PMA-DS-01-Q1S	27	TFLF	12
BLC-C	24	FMX-LP	12	PMA-DS-02-Q1S	28	TFLM	12
BLC-11	23	FMX-LP-I	12	PMA-DS-03-Q2S	28	TFLP	12
BLC-106	23	FPK	8	PMA-DS-04-Q1S	28	TFLS	12
BLC-106-C	23	FPK-R	8	PMA-DS-05-Q1R	27	TMR	3
BLC-106-G	23	FSA	7	PMA-DS-05-Q1R-SP	27	TMR-BP	4
BLC-108	23	FSA-K	31	PMA-DS-06-SOS	28	TMR-E	4
BLC-108-C	23	FSC	6	PMA-DS-07-SOS	28	TMR-R	3
BLC-108-G	23	FSD	5	PMA-DS-08-Q2S	28	TMR-R-E	3
BLC-110	23	FSD-K	31	PMA-DS-09-Q2S	28	TMS	3
BLC-110-C	23	FSE	5	PMA-KB-01-SOS	29	TMS-BP	4
BLC-110-G	23	FSF	5	PMA-KB-01H-SOS	29	TMS-E	4
BLC-112	23	FXF	4	PMA-KB-02-Q1S	29	TMS-R	3
BLC-112-C	23	FXG	4	PMA-KB-03-Q2S	29	TMS-R-E	3
BLC-112-G	23	LPA-01	19	PMA-KB-05-Q1R	29	TPCC-R	8
BLM-304	23	LPA-02	19	PMA-KB-06-Q1S	29	TPK	8
BLM-306	23	LPA-03	19	PMA-KB-07-Q1R	29	TPK-R	8
BLM-310	23	LPA-04	19	PMA-KB-08-Q1S	30	TSA	7
BLM-I-304	23	LPA-05	19	PMA-KS-02-Q1S	28	TSC	6
BLM-I-306	23	LPA-06	19	PMA-KS-03-Q2S	29	TSD	6
BLM-I-310	23	LPA-07	19	PMA-KS-05-Q1R	28	TSE	5
BLR-I-301	23	LPA-08	19	PMA-KS-06-Q1S	29	TSF	5
BLR-304	23	LPA-09	19	PMA-LS-AC1-Q2S	29	TSF	5
BLR-306	23	LPA-10	19	PMA-LS-DC1-Q2S	29	TSF	5

* Go to www.optifuse.com To View All Product Combinations



1675 Pioneer Way • Suite C • El Cajon, CA 92020
(800) 621-0326 - Phone • (800) 621-0329 - Fax
(619) 593-5050 - Phone • (619) 593-5055 - Fax
www.optifuse.com